Application No.: 10/527,247 Amendment Dated April 24, 2009 Reply to Office Action of January 26, 2009

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims

1. (Currently Amended) A transmission device comprising:

a modulator for modulating data by a plurality of modulation methods; and

a transmitter for transmitting a radio signal by using a plurality of carrier frequencies,

wherein the transmission device transmits the data by changing a transmission communication method to another method following a lapse of time, which transmission communication method is formed by combining one of the modulation methods and one of the carrier <u>frequencies frequencies</u>, and

wherein the transmission device is configured to transmit the data repeatedly without changing the transmission communication method during a time period in which a receiving device is configured to switch through a plurality of reception communication methods, each of the plurality of reception communication methods formed by combining one of a plurality of demodulation methods and one of the plurality of carrier frequencies.

2. (Currently Amended) The transmission device of claim 1 further comprising comprising:

a switcher of a transmission method, wherein at least one of the modulator or the transmitter is available in plural pieces, and the switcher switches the plural modulators or transmitters for switching the transmission communication method.

- 3. (Cancelled)
- 4. (Original) The transmission device of claim 1 further comprising:

a transmission communication method notifying section for notifying another device of a communication method desirable to be used on the transmission side; and

Application No.: 10/527,247 Amendment Dated April 24, 2009

Reply to Office Action of January 26, 2009

a communication receivable method reply receiver for receiving a reply whether or not to receive the data by the communication method notified,

wherein the transmission device transmits data thereafter by the communication method accepted by the another device to this another device.

5. (Currently Amended) The transmission device of claim 1 further comprising comprising:

a data divider for dividing data into a plurality of pieces of data and putting each one of those plurality of pieces of the data a number to identify an order of each piece of the data in original data, wherein the lapse of time indicates a lapse based on information about the order.

6. (Currently Amended) The transmission device of claim 5 further comprising comprising:

a re-transmission request receiver for receiving a request of re-transmitting a missing piece of the data from another device, wherein the transmission device re-transmits the missing part of the divided data based on the request.

- 7. (Original) The transmission device of claim 6, wherein the transmission device receives, at the re-transmission request receiver, information about a reception communication method available in the another device together with the re-transmission request, then the transmission device re-transmits the missing piece of the data requested re-transmission by an available communication method among the transmission communication methods corresponding to the communication methods available on the reception side, and when the transmission device receives an acknowledgement from the another device of the missing piece of the data re-transmitted based on the request, the transmission communication method used for successful re-transmission of the missing piece of divided data can be used for transmitting pieces of divided data thereafter.
 - 8. (Currently Amended) The transmission device of claim 1 further comprising:

a demodulator for demodulating data by a <u>plurality the plurality</u> of demodulation methods; and

a receiver for receiving a radio signal with a plurality the plurality of carrier frequencies,

Application No.: 10/527,247 Amendment Dated April 24, 2009 Reply to Office Action of January 26, 2009

wherein the transmission device receives data by changing a changing the reception communication method following a lapse of time, which communication method is formed by combining one of the plurality of demodulation methods and one of the plurality of carrier frequencies, then

wherein the transmitter transmits the data together with information about a reception communication method desirable to be changed, then

wherein the receiver waits and receives information to be transmitted from another device by a communication method corresponding to the communication method desirable to be changed.

- 9. (Original) The transmission device of claim 8, wherein the information showing the communication method desirable to be changed is encrypted.
- 10. (Original) The transmission device of claim 9 including an identifying mark for identify the transmission device, wherein the identifying mark is used as a part of a key for the encryption.
 - 11. (Currently Amended) A reception device comprising:
 - a demodulator for demodulating data by a plurality of demodulation methods; and
 - a receiver for receiving a radio signal with a plurality of carrier frequencies

wherein the reception device receives the data by changing a reception communication method following a lapse of time, which the reception communication method is formed by combining one of the plurality of demodulation methods and one of the plurality of carrier frequencies frequencies, and

wherein the reception device is configured to switch through a plurality of reception communication methods while a transmission device is configured to transmit the data repeatedly without changing a transmission communication method during a time period, the transmission communication method formed by combining one of a plurality of modulation methods and one of the plurality of carrier frequencies.

Application No.: 10/527,247 MAT-8671US

Amendment Dated April 24, 2009

Reply to Office Action of January 26

Reply to Office Action of January 26, 2009

12. (Currently Amended) The reception device of claim 11 further comprising comprising:

a switcher of a transmission method, wherein at least one of the demodulator or the receiver is available in plural pieces, and the switcher switches the plural demodulators or receivers for switching the reception communication method.

13. (Original) The reception device of claim 11 further comprising:

a transmission communication method receiver for receiving a transmission communication method notified, as a desirable method to be used, by another device that has transmitted the data;

a communication receivable method selector for selecting a communication receivable method from among transmission side methods received at the transmission communication method receiver and desirable to be used; and

a communication receivable method replying section for informing the another device of a communication receivable method selected by the communication receivable method selector.

14. (Original) The reception device of claim 13, wherein the reception device divides original data into a plurality of pieces of data, puts information about an order in the original data to each one of the plurality of pieces of data, and changes a combination of a modulation method and a carrier frequency following a lapse of time in response to every piece of data for transmission, then receives each piece of data transmitted at the receiver,

wherein the reception device includes a data restoring section for restoring each piece of data received at the receiver into the original data based on the information about an order.

- 15 (Original) The receiver of claim 14, wherein the receiver judges which piece of data is missing based on the information about an order denoted to each piece of data, wherein the receiver includes a re-transmission request transmitter for requesting re-transmission of the missing piece of data.
- 16. (Original) The reception device of claim 15, wherein when the reception device fails in receiving the missing piece of data after the request of re-transmission, the retransmission request transmitter requests re-transmitting the missing piece of data by a

Application No.: 10/527,247 Amendment Dated April 24, 2009 Reply to Office Action of January 26, 2009

transmission communication method corresponding to another reception communication receivable method.

17. (Currently Amended) The reception device of claim 16 further comprising comprising:

an acknowledgement transmitter for transmitting an acknowledgement together with information about a reception communication method successfully receiving the missing piece of data requested re-transmission.

- 18. (Currently Amended) The reception device of claim 11 further comprising:
- a modulator for modulating data by a plurality of modulation methods; and
- a transmitter for transmitting a radio signal with a plurality of carrier frequencies, wherein when the receiver receives the data together with information about a reception communication method desired by another device to change, the transmittera transmitter of the transmission device transmits data by switching aswitching the transmission communication method, which method is formed by combining one of the plurality of modulation methods and one of the plurality of carrier frequencies, to a method corresponding to the reception communication method desired to change.
- 19. (Original) The reception device of claim 18, wherein the information about the reception communication method desired to change is encrypted.
- 20. (Original) The reception device of claim 19 including an identifying mark for identify the another device, wherein the identifying mark is used as a part of a key for the encryption.
 - 21. (Withdrawn) A transmission device comprising:
 - a modulator for modulating data by a plurality of modulation methods; and
 - a transmitter for transmitting a radio signal by using a plurality of carrier frequencies,

wherein the transmission device transmits simultaneously the data with different carrier frequencies by a plurality of communication methods, each one of which methods is formed by combining one of the modulation methods and one of the carrier frequencies.

Application No.: 10/527,247 MAT-8671US

Amendment Dated April 24, 2009 Reply to Office Action of January 26, 2009

22. (Withdrawn) The transmission device of claim 21 further comprising: a transmission communication method notifying section for notifying another device of a transmission communication method desired to be used; and a receivable communication method reply receiver for receiving a reply from the another device about whether or not data can be received by the transmission communication method notified, wherein the transmission device transmits data thereafter to the another device by the transmission communication method according to the reply received at the reply receiver from the another device.

- 23. (Withdrawn) The transmission device of claim 21 further comprising a data divider for dividing the data into a plurality of pieces of data and puts information about an order in the data to each piece of the data, wherein the transmission device transmits the plurality of pieces of the data having the information about an order respectively by the plurality of transmission communication methods to another device.
- 24. (Withdrawn) The transmission device of claim 23 further comprising a retransmission request receiver for receiving a request of re-transmitting a missing piece of the data from the another device, wherein the transmission device re-transmits the missing piece of the data based on the request of re-transmission received at the re-transmission request receiver.
- 25. (Withdrawn) The transmission device of claim 24, wherein the transmission device receives, at the re-transmission request receiver, information about a receiver communication method available in the another device together with the re-transmission request, then the transmission device re-transmits the missing piece of the data requested retransmission by an available communication method among the transmission communication methods corresponding to the reception communication methods available, and when the transmission device receives an acknowledgement from the another device of the missing piece of data re-transmitted based on the request, the transmission communication method used for successful re-transmission of the missing piece of data can be used thereafter for transmitting a piece of data.
- (Withdrawn) The transmission device of claim 21 further comprising a change notifying section for notifying the another device, by one of the transmission communication methods, of a change request of the plurality of the transmission communication methods to

Application No.: 10/527,247 MAT-8671US

Amendment Dated April 24, 2009
Reply to Office Action of January 26, 2009

other methods together with a transmission communication method to be used after the change.

27. (Withdrawn) The transmission device of claim 26, wherein after the change notifying section notifies the another device of the change request together with the transmission communication method to be used after the change, data transmitted by at least one of the communication methods except the method to be used after the change are invalid data not necessarily to be transmitted to the another device.

- 28. (Withdrawn) A reception device comprising: a demodulator for demodulating data by a plurality of demodulation methods; and a receiver for receiving a radio signal with a plurality of carrier frequencies wherein the reception device receives data transmitted simultaneously with different carrier frequencies by a plurality of transmission communication methods formed by combining one of the demodulation methods and one of the carrier frequencies, wherein the data are received by reception communication methods corresponding to the transmission communication methods.
- 29. (Withdrawn) The reception device of claim 28 further comprising: a transmission communication method receiver for receiving a transmission communication method desired to be used and notified from another device that has transmitted the data; a receivable communication method selector for selecting a communication receivable method from among the transmission communication methods desired to be used and received at the method receiver; and a receivable communication method replying section for replying the method selected by the method selector to the another device.
- 30. (Withdrawn) The reception device of claim 28, wherein the reception device divides original data into pieces of data and puts each piece of the data information about an order in the original data, and receives at the receiver each piece of the data having the information about an order and transmitted by changing a combination of a modulation method and a carrier frequency in response to each piece of data, wherein the reception device further includes a data restoring section for restoring each piece of the data into the original data based on the information about an order.
- 31. (Withdrawn) The reception device of claim 30 further comprising a retransmission request transmitter for finding a missing piece of data based on the information

Application No.: 10/527,247 MAT-8671US

Amendment Dated April 24, 2009
Reply to Office Action of January 26, 2009

about an order put to each piece of the data, and for requesting a re-transmission of the missing piece of the data.

32. (Withdrawn) The reception device of claim 31, wherein when the reception device fails in receiving the missing piece of the data after the request, the re-transmission request transmitter transmits reception communication methods available together with the retransmission request.

- 33. (Withdrawn) The reception device of claim 32 further comprising an acknowledgement transmitter for transmitting an acknowledgement of the missing piece of the data together with information about a reception communication method used when the reception device successfully receives the missing piece of the data.
- 34. (Withdrawn) The reception device of claim 28 further comprising a change notice receiver for receiving a request of changing the plurality of the transmission communication methods to other transmission side methods together with a transmission communication method to be used after the change, wherein the transmission device receives the data based on the change request received at the change notice receiver and the transmission communication method to be used after the change.
- 35. (Withdrawn) The reception device of claim 34, wherein when the change notice receiver receives the change request together with the transmission communication method to be used after the change, then the receiver disposes of data transmitted by one of the transmission communication methods as invalid data not necessarily to receive.